



CERTIFICATE OF REGISTRATION

This is to certify that

Donaldson Door Systems

Main Street

Plains

Airdrie

ML6 7JE

UNITED KINGDOM

Meets the requirements of the BM TRADA **Q-Mark Fire Door Manufacture STD006** scheme to **STD006**

Steve Roberts
Product Certification Operations Manager
For and on behalf of BM TRADA

Certificate Number

130

Date of Initial Certification

10/08/2006

Date of Last Issue

30/05/2024

Date of Expiry

31/05/2027

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK
Reg No. 11371436.

This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.bmtrada.com

Registration Schedule

Branch
Donaldson Door Systems

Address
Main Street
Plains, Airdrie
Scotland, ML6 7JE
United Kingdom

Scope

Primary Field of Application (FoA) Reports (owned by this certified company)

Either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	Rev	Owned by Certified Company named on this certificate	Doorset Description	Integrity Period	FoA Standard
Fire		-	Donaldson Door Systems	30 Minute New City Modern (Flamebreak) Doorset (Unglazed only)	30min	BS 476 Pt22
Smoke	N/A	-	-			
Fire		-	Donaldson Door Systems	60 Minute New City Modern (Flamebreak) Doorset (Unglazed only)	60min	BS 476 Pt22
Smoke	N/A	-	--			
Fire		-	Donaldson Door Systems	60 Minute New City Modern (Stredor) Doorset (Unglazed only)	60min	BS 476 Pt22
Smoke	N/A	-	-			

Primary Field of Application (FoA) Reports (owned by and cascaded by a System Supplier)

The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	FoA Standard
Fire	WF407090	Falcon Timber Limited	STREbord® 44 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			
Fire	WF407090	Falcon Timber Limited	STREbord® 54 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			
Fire	WF407090	Falcon Timber Limited	STREdor® 44 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			
Fire	WF407090	Falcon Timber Limited	STREdor® 54 doorsets for 30 Minutes Fire Resistance (Front Entrance Doorsets) (Glazed or Unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			
Fire	WF427764	Falcon Timber Limited	STREbord® 54 Fire Resisting Doorsets for 60 minutes fire resistance (Front Entrance Doorsets) (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			
Fire	WF427764	Falcon Timber Limited	STREdor® 54 Fire Resisting Doorsets for 60 minutes fire resistance (Front Entrance Doorsets) (Glazed or Unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			
Fire	Chilt/A01204	Halspan Limited	Optima 30 Part 1 Timber (Glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			
Fire	Chilt/A01205	Halspan Limited	Optima 60 (Glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			
Fire	FEA/F97174	Halspan Limited	Prima 30 Part 1 Timber (Glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			
Fire	FEA/F96103	Halspan Limited	Prima 60 (Glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			
Fire	FEA/F98164	Pacific Rim Wood Ltd	Flamebreak Doorsets for 30 minutes Fire Resistance (Glazed or unglazed)	30min	BS 476 Pt22
Smoke	N/A	-			
Fire	FEA/F02141	Pacific Rim Wood Ltd	Flamebreak 660 and FF660 Doorsets for 60 minutes Fire Resistance (Glazed or unglazed)	60min	BS 476 Pt22
Smoke	N/A	-			
Fire	BMT/CNA/F15057	Sealed Tight Solutions Ltd	STS Leaf Edge Seals for Falcon 54mm Doorsets	60min	BS 476 Pt22
Smoke	N/A	-			

Test Reports

Test reports cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.

No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.

Test Report	Owner of Test Report	Doorset Description	Integrity Period	Test Standard
-	-	-	-	-